

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 774 868 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
21.05.1997 Bulletin 1997/21

(51) Int. Cl.⁶: H04N 7/173, H04N 5/445

(21) Application number: 96117991.8

(22) Date of filing: 09.11.1996

(84) Designated Contracting States:
DE FR GB IT

(30) Priority: 17.11.1995 US 6889
15.12.1995 US 574440

(71) Applicant: THOMSON CONSUMER
ELECTRONICS, INC.
Indianapolis, IN 46206 (US)

(72) Inventors:
• Maze, Kenneth Wayne
Indianapolis, IN (US)
• Miller, Robert Howard
Carmel, IN 46033 (US)

- Reavis, Jeffrey Philip
Indianapolis, IN (US)
- Crosby, Shella Renee
Carmel, IN (US)
- Wehmeyer, Keith Reynolds
Fishers, IN (US)
- Brown, Megan Louise
Carmel, IN (US)
- Morrison, Hugh Boyd
Indianapolis, IN (US)

(74) Representative: Ahrens, Thomas, Dipl.-Phys.
Deutsche Thomson-Brandt GmbH,
Licensing & Intellectual Property,
Göttinger Chaussee 76
30453 Hannover (DE)

(54) A scheduler apparatus employing a gopher for use in a television receiver

(57) In a television system in which at least program title information for programs which are to be transmitted in the future is transmitted in advance to form a channel guide listing, apparatus is provided for searching the listing for specific user-entered information, and upon successful conclusion to the search, the apparatus schedules the tuning of the desired program, or in the alternative, notifies the viewer of the availability of the program. In those instances where descriptive text accompanies the program listing, apparatus of the invention performs a search of the text for a particular text string which may relate to the title, the star, the director, or the context of the program, among other search criteria.




Fig. 4

EP 0 774 868 A1

Description

The subject invention concerns apparatus for scheduling the selection of a television program for watching or recording at some future date.

The programming of modern television systems, such as TV schedulers, VCRs, and Satellite Receivers has become more complicated in that the number of available channels has increased dramatically of late. For example RCA® DSS® direct broadcast satellite receivers provide as many as 150 channels to choose from. Heretofore, a user who wanted to record a specific non-regularly scheduled television program such as the airing of a particular movie, would regularly consult a television schedule printed in his local newspaper in the hope that he would eventually find that movie listed.

Such a practice may work well when there are only a few television channel schedules to examine, however, it is unlikely that a viewer would be able to examine the complete schedules for 150 television channels each week. Such a task would be daunting even if all of the movies were to be listed separately, as some television program listings do. Consequently, it is felt that as the number of channels increases, the chances of successfully locating a single occurrence of a program (like a needle in a haystack) becomes more and more unlikely.

In a television system in which at least program title information for programs which are to be transmitted in the future is transmitted in advance to form a channel guide listing, apparatus is provided for searching the listing for specific user-entered information, and upon successful conclusion to the search, the apparatus schedules the tuning of the desired program, or in the alternative, notifies the viewer of the availability of the program. In those instances where descriptive text accompanies the program listing, apparatus of the invention performs a search of the text for a particular text string which may relate to the title, the star, the director, or the context of the program, among other search criteria.

FIGURES 1a-1c are illustrations of a screen display of a portion of a channel guide, in accordance with one aspect of the invention.

FIGURE 2 is an illustration of a screen display showing a search request screen in accordance with another aspect of the invention.

FIGURE 3 is an illustration of a screen display of a portion of a channel guide showing auxiliary program information.

FIGURE 4 is an illustration in block diagram form of apparatus suitable for use with the invention.

FIGURE 5 is an illustration of a search request list in accordance with the subject invention.

FIGURE 6 is an illustration of a screen display useful for entering text search phrases in accordance with the invention.

FIGURE 7 is a flowchart useful in understanding the invention.

Television systems such as the RCA® DSS® direct broadcast satellite system and Starsight® transmit channel guides for display on the television receivers of subscribers.

FIGURES 1a-1c show Program Guide screen displays produced, for example, by an RCA® DSS® direct broadcast satellite receiver system, manufactured by Thomson Consumer Electronics, Inc. Indianapolis, IN. A user selects a television program from a Program Guide for viewing, by moving a cursor (via operation of remote control up, down, right, and left, direction control keys, not shown) to a block of the program guide screen display which contains the name of the desired program. When a SELECT key on the remote control is pressed, the current x and y position of the cursor is evaluated to derive virtual channel and program time information. In this example of FIGURE 1a, a particular television show, EVENING NEWS has been highlighted for selection by use of the cursor keys on a remote control unit (e. g., 450R of FIGURE 4). The highlighting is illustrated by the dark box outlining the title in FIGURES 1a-1c. Normally, upon pressing the select key, the relevant programming data is transferred to a programming unit.

However, note the phrase "ENTER ALL OR PART OF A PROGRAM NAME TO SEARCH" which appears at the bottom of FIGURE 1a. In this case the word "HOME" has been entered by a user. Upon pressing the MENU key, a search of the channel guide information is performed for the next occurrence of a television program including the word "HOME" in its title. At the completion of the search, the screen display of FIGURE 1b is generated. Note that a television program on channel 106 entitled "HOME IMPROVEMENT" is now highlighted. If desired, a further search can be initiated by pressing the MENU key again. The result of that further search is shown in the screen display of FIGURE 1c. Note that in FIGURE 1c, a television program on channel 305, "HOME AND GARDEN" is highlighted, because that title includes the word "HOME", and thus satisfies the search criteria. The subject apparatus can also perform "substring searching" wherein the keyword (search term) is contained within another word. For example, a substring search on the word HOME would find the movie title "HOMEWARD BOUND". Similarly, the search can be made case sensitive, or case insensitive, as desired.

FIGURE 2 shows a "GOPHER PROGRAM" screen display 210 useful for entering text to be searched, and for entering instructions to be executed in the event that the search is terminated. The search entered on screen display 210 will perform the logical "AND" function on the search terms "ZULU" (a movie title) and "MICHAEL CAINE" (one of ZULU'S stars). While a logical "AND" function is shown, logical "OR" and "NOT" functions are also envisioned. In fact, a logical "OR" function could simply be performed by entering the search terms as two different searches. That is, if the search term "ZULU" were entered by itself, the movie "ZULU" AND

any television program concerning the ZULU tribe would be selected. If the search term "MICHAEL CAINE" were entered as a separate search, the movie "ZULU" and any other movie starring Michael Caine would be selected.

Note from screen display 210, that when the movie "ZULU" is found, it is to be recorded. That is, after entering the search terms and instructions via screen display 210, the user does not have to perform any further function (other than ensuring that the VCR has a tape in it) to secure a recording of the movie "ZULU" whenever it is aired. At the proper time the apparatus of the invention will transmit the record commands to the VCR, automatically. Alternatively, the user may have checked the box labelled DISPLAY A "PROGRAM LOCATED" MESSAGE, in which case the show will not be recorded, but rather a reminder will be displayed indicating that the search has successfully terminated upon finding the requested item.

FIGURE 3 shows a Program Guide screen 310, including an auxiliary information display 320. The text of auxiliary display 320 includes the search terms "ZULU" and "MICHAEL CAINE" in the program description. This text will be searched by the GOPHER PROGRAM and the search will come to a successful conclusion. Note that a search of "ZULU" and "STANLEY BAKER" would have been equally successful. It is important to note that not only is the Program Guide text, but also the auxiliary information associated with the television programs, is being searched.

As noted above, the channel guide data used by the controller of the subject apparatus to form the above-described interactive or confirmation sentences may be received from a satellite television communication system. FIGURE 4 shows such a satellite television communication system in which, a satellite 400S receives a signal representing audio, video, or data information from an earth-based transmitter 400T. The satellite amplifies and rebroadcasts this signal to a plurality of receivers 400R, located at the residences of consumers, via transponders operating at specified frequencies and having given bandwidths. Such a system includes an uplink transmitting portion (earth to satellite), an earth-orbiting satellite receiving and transmitting unit, and a downlink portion (satellite to earth) including a receiver located at the user's residence.

In such a satellite system, the information necessary to select a given television program is not fixedly-programmed into each receiver but rather is downloaded from the satellite continually on each transponder. The television program selection information comprises a set of data known as a Master Program Guide (MPG), which relates television program titles, their start and end times, a virtual channel number to be displayed to the user, and information allocating virtual channels to transponder frequencies and to a position in the time-multiplexed data stream transmitted by a particular transponder. In such a system, it is not possible to tune any channel until the first master program guide

is received from the satellite, because the receiver (IRD, or Integrated Receiver Decoder) literally does not know where any channel is located, in terms of frequency and position (i.e. data time slot) within the data stream of any transponder.

A master program guide is preferably transmitted on all transponders with the television program video and audio data, and is repeated periodically, for example, every 2 seconds. The master program guide, once received, is maintained in a memory unit in the receiver, and updated periodically, for example every 30 minutes. Retention of the master program guide allows instantaneous television program selection because the necessary selection data are always available. If the master program guide were to be discarded after using it to select a television program, then a delay of at least two seconds would be incurred while a new program guide was acquired, before any further television program selections could be performed.

Once the channel transponder carrying a desired television program is tuned, the data packets containing the audio and video information for that program can be selected from the data stream received from the transponder by examining the data packets for the proper SCID (Service Component Identifier) 12 bit code. If the SCID of the currently received data packet matches the SCID of the desired television program as listed in the program guide, then the data packet is routed to the proper data processing sections of the receiver. If the SCID of a particular packet does not match the SCID of the desired television program as listed in the program guide, then that data packet is discarded.

A brief description of system hardware, suitable for implementing the above-described invention, now follows. In FIGURE 4, a transmitter 400T processes a data signal from a source 401 (e.g., a television signal source) and transmits it to a satellite 400S which receives and rebroadcasts the signal to a receiving antenna 400A which applies the signal to a receiver 400R. Transmitter 400T includes an encoder 410T, a modulator (i.e., modulator/forward error corrector (FEC)) 420T, and an uplink unit 430T. Encoder 410T compresses and encodes signals from source 401 according to a predetermined standard such as MPEG. MPEG is an international standard developed by the Moving Picture Expert Group of the International Standards Organization for coded representation of moving pictures and associated audio stored on digital storage medium. An encoded signal from unit 410T is supplied to modulator/Forward Error Corrector (FEC) 420T, which encodes the signal with error correction data, and Quaternary Phase Shift Key (QPSK) modulates the encoded signal onto a carrier.

Uplink unit 430T transmits the compressed and encoded signal to satellite 400S, which broadcasts the signal to a selected geographic reception area. The signal from satellite 400S is received by an antenna dish 400A coupled to an input of a so-called set-top receiver 400R (i.e., an interface device situated atop a television

receiver). Receiver 400R includes a demodulator (demodulator/Forward Error Correction (FEC) decoder) 410R to demodulate the signal and to decode the error correction data, an IR receiver 412 for receiving IR remote control commands, a microprocessor 415R, which operates interactively with demodulator/FEC unit 410R, and a transport unit 420R to transport the signal to an appropriate decoder 430R within unit 400R depending on the content of the signal, i.e., audio or video information. An NTSC Encoder 440R encodes the decoded signal to a format suitable for use by signal processing circuits in a standard NTSC consumer VCR 402 and standard NTSC consumer television receiver 403. Microprocessor (or microcontroller, or microcomputer) 415R receives infrared (IR) control signals from remote control unit 450R, and sends control information to VCR 402 via an IR link 418R. Microprocessor 415R also generates the on-screen display (OSD) signals needed for presenting the interactive sentence, or confirmation sentence, to the user. Microprocessor 415R also receives and interprets cursor key X and Y information in order to control the highlighting of user choices in the on-screen displays.

FIGURE 5 shows a search request list which may be displayed as a screen display. In this embodiment of the invention, three actions are possible. First, as noted above, a show may be programmed to be recorded at its next airing without further intervention by the user. Second, as noted above, a reminder can be displayed on-screen that the desired program has been found. Third, a report listing various programs meeting the search criteria and airing in the immediate future (for example, the next three hours) can be prepared and displayed. In the example of FIGURE 5, the user has requested that he be reminded anytime an episode of Star Trek appears in the Program Guide. The user has also requested that the movie "The Shining" be recorded the next time it is found in the guide. The user has also requested that he be reminded anytime the word "robot" appears in the guide or in the program descriptions of the guide. These instructions will run until turned off by the user. The remaining search (i.e., movie, drama, now) is a request which indicates that the user wants to know which dramas are being aired in the immediate future (i.e., within the next three hours). The controller will prepare a report listing all dramatic movies on all channels which are being broadcast in the next few hours. After doing so, this entry will be automatically deleted. It is further envisioned that a user may review and edit or delete search terms in order to modify on-going searches.

FIGURE 6 shows a screen display of a "virtual keyboard" useful for entering search data. Four "Search Gophers" called "Watchdogs" are programmable for performing simultaneous searches of the Program Guide and auxiliary information data streams. By using the cursor and select keys, a user can "press" one of the watchdog buttons on the left of the screen to select it. He may then use the alphabet keys to enter his search request. (While not explicitly shown, alphanumeric keys

are also envisioned). When the user is satisfied with the text of his search request, he may press the Save key to save the search terms for this watchdog search process. If he makes an error, he may delete the error with the clear key.

The Gopher program is entered at step 700 of FIGURE 7. At step 705, the search terms are retrieved. At step 710, the Program Guide data is acquired. At step 715 a comparison is made to see if a match exists. If not the program is exited at step 720. If a match does exist, then the user-entered instructions are retrieved. A check is made at step 725 to determine if a record instruction has been entered, if so the routine advances to step 730 at which the record commands are transmitted to the VCR either immediately or at an appropriate later time. The routine is then exited at step 735. If however, a record instruction was not entered then the routine advances to step 740 at which a reminder message is generated for display, either immediately or at an appropriate later time as a "last minute reminder" before the desired show is broadcast, or both. The routine is then exited at step 735.

Although the invention was described with reference to a satellite television system, it is equally applicable to ground based television broadcast systems, both digital and analog.

Claims

1. In a television system in which at least program title information for programs which are to be transmitted in the future is transmitted in advance to form a channel guide list, apparatus comprising:

memory means for storing data representing said channel guide list and for storing user-entered data; data entry means for entering said user-entered data; control means for performing a search of said channel guide listing for a match to specific user-entered information; on-screen display means for displaying text or graphics under control of said control means; and means for selecting a television program for viewing; and upon successful conclusion of said search, said control means schedules a selection of said television program, or controls said on-screen display means to notify said user of an availability of said television program.

2. The apparatus of claim 1 wherein: when television program-descriptive text accompanies said channel guide list, said control means performs a search of said television program-descriptive text for a particular text string which may relate to title, star, director, or context of said television program.

3. The apparatus of claim 2 wherein: in response to user-entered data said control means controls said on-screen display means to display a list of user-entered search criteria, and user-entered instructions for execution after successful completion of each search. 5
4. The apparatus of claim 3 wherein: said on-screen user-entered instructions for execution after successful completion of each search include instructions to record said television program and instructions to notify the user of an availability of said television program. 10
5. The apparatus of claim 1 wherein: said control means notifies said user of said availability of said television program by modifying a portion of channel guide display relating to said program. 15
6. The apparatus of claim 1 further including a remote control unit wherein: said user-entered data is entered by means of a screen displayed keyboard operated by selecting keys of said keyboard via cursor commands transmitted by said remote control unit. 20 25
7. The apparatus of claim 1 wherein: said user-entered search criteria form logically-ORed search terms. 30
8. The apparatus of claim 1 wherein: said user-entered search criteria form logically-ANDed search terms. 35
9. The apparatus of claim 1 wherein: said user-entered search criteria form logical compound statements employing logic operators, such as AND, OR, NOT, or XOR to logically-connect search terms. 40 45 50 55

CH 150		Program Guide				7:05pm	
7:00pm		7:30pm		8:00pm		8:30pm	
HBO 102	OTHER PEOPLE'S MONEY			FREE PREVIEW		DREAM ON	
CBS 106	EVENING NEWS	HOME IMPROVEMENT		BROOKLYN BRIDGE		RAVEN	
UPN 113	STAR TREK: VOYAGER			ENTERTAINMENT TONIGHT		WORLD NEWS	
CINE 210	EYEWITNESS	FUN CITY				DOUBLE TROUBLE	
CNN 305	PRIME NEWS	BOTH SIDES		RELIABLE SOURCES		HOME AND GARDEN	
USA 422	COUNTER STRIKE			QUANTUM LEAP			
MORE		MOVIES		SPORTS		OTHER	
						ALL	
						EXIT	
ENTER ALL OR PART OF PROGRAM NAME TO SEARCH: HOME							

Fig. 1a

CH 150		Program Guide			7:05pm						
7:00pm		7:30pm		8:00pm		8:30pm					
HBO 102	OTHER PEOPLE'S MONEY			FREE PREVIEW		DREAM ON					
CBS 106	EVENING NEWS	HOME IMPROVEMENT		BROOKLYN BRIDGE		RAVEN					
UPN 113	STAR TREK: VOYAGER			ENTERTAINMENT TONIGHT		WORLD NEWS					
CNE 210	EYEWITNESS	FUN CITY				DOUBLE TROUBLE					
CNN 305	PRIME NEWS	BOTH SIDES		RELIABLE SOURCES		HOME AND GARDEN					
USA 422	COUNTER STRIKE			QUANTUM LEAP							
MORE		MOVIES		SPORTS		OTHER		ALL		DOT	
HOME FOUND. PRESS MENU AGAIN TO FIND ANOTHER OCCURRENCE											

Fig. 1b

CH 150		Program Guide				7:05pm					
7:00pm		7:30pm		8:00pm		8:30pm					
HBO 102	OTHER PEOPLE'S MONEY			FREE PREVIEW		DREAM ON					
CBS 106	EVENING NEWS	HOME IMPROVEMENT		BROOKLYN BRIDGE		RAVEN					
UPN 113	STAR TREK: VOYAGER			ENTERTAINMENT TONIGHT		WORLD NEWS					
CNE 210	EYEWITNESS	FUN CITY				DOUBLE TROUBLE					
CNN 305	PRIME NEWS	BOTH SIDES		RELIABLE SOURCES		HOME AND GARDEN					
USA 422	COUNTER STRIKE			QUANTUM LEAP							
MORE		MOVIES		SPORTS		OTHER		ALL		EXIT	
HOME FOUND. PRESS MENU AGAIN TO FIND ANOTHER OCCURRENCE											

Fig. 1c

The figure shows a graphical user interface for a program named 'GOPHER PROGRAM'. It is enclosed in a rectangular frame labeled '200' on the right. Inside this frame is a rounded rectangular area labeled '210' at the top right. The text within the rounded area is as follows: 'GOPHER PROGRAM' at the top, followed by 'ENTER TEXT STRING FOR SEARCH:' and the text 'ZULU AND MICHAEL CAINE' which is underlined. Below the underline is the text 'WHEN FOUND:'. At the bottom of the rounded area are two options: an unchecked checkbox followed by 'DISPLAY A "PROGRAM LOCATED MESSAGE' and a checked checkbox followed by 'PROGRAM VCR TO RECORD'.

210

GOPHER PROGRAM

ENTER TEXT STRING FOR SEARCH:

ZULU AND MICHAEL CAINE

WHEN FOUND:

☐ DISPLAY A "PROGRAM LOCATED MESSAGE

☒ PROGRAM VCR TO RECORD

200

Fig. 2

CH150		Program Guide		7:05pm	
		7:00pm			
HBO 102	OTHER PEOPLE'S MONEY		<div style="border: 2px solid black; padding: 5px;"> <p>MOVIE TITLE: ZULU</p> <p>STARRING: STANLEY BAKER & MICHAEL CAINE</p> <p>PRODUCER: STANLEY BAKER</p> <p>RATING: PG-13 (VIOLENCE)</p> <p>REVIEW: ☆☆☆$\frac{1}{2}$</p> <p>PLOT: A VASTLY OUTNUMBERED COMPANY OF BRITISH SOLDIERS IN LATE 19TH CENTURY SOUTH AFRICA DEFENDS AN ISOLATED OUTPOST AGAINST AN ATTACK BY 40,000 ZULU WARRIORS.</p> </div>		
CBS 106	EVENING NEWS	FRATERNITY			
UPN 113	STAR TREK: VOYAGER				
CINE 210	CINE SATURDAY NIGHT MOVIE: ZULU				
OWN 305	PRIME NEWS	BOTH SIDES	RELIABLE SOURCES	WORLD NEWS	
USA 422	COUNTER STRIKE		QUANTUM LEAP		
MORE	MOVIES	SPORTS	OTHER	ALL	EXIT

Fig. 3




Fig. 4

TITLE	TOPIC	THEME	KEYWORD	ACTION	TIME
Star Trek				remind	always
The Shining				record	always
	movie	drama		report	now
			robot	remind	always

Fig. 5

Exit

Help

Watchdog 1

Watchdog 2

Watchdog 3

Watchdog 4

TIMER 1

Watchdog 1 will search

titles and descriptions for

B

A

B

C

D

E

F

G

H

I

J

K

L

M

N

O

P

Q

R

S

T

U

V

W

X

Y

Z

◀

Save


Space

Clear

Press MENU to either watch or record this program.

Press ▶ to continue.

Fig. 6

**Fig. 7**



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 11 7991

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	WO 94 14282 A (DISCOVERY COMMUNICATIONS INC) 23 June 1994 * page 13, line 14 - page 15, line 2 * * page 26, line 17 - page 28, line 18 * * page 29, line 10 - page 34, line 18 * * page 41, line 18 - line 30 * * figures 5,8-26 * ---	1-6	H04N7/173 H04N5/445
X	WO 93 22877 A (ICTV INC) 11 November 1993 * page 29, line 28 - page 34, line 34 * * figures 26-41 * ---	1-6	
X	PROCEEDINGS FROM ELEVEN TECHNICAL SESSIONS OF THE ANNUAL CONVENTION AND EXPOSITION OF THE NATIONAL CABLE TELEVISION ASSOCIATION, SAN FRANCISCO, JUNE 6 - 9, 1993, no. CONVENTION 42, 6 June 1993, RUTKOWSKI K, pages 223-236, XP000410503 BESTLER C: "FLEXIBLE DATA STRUCTURES AND INTERFACE RITUALS FOR RAPID DEVELOPMENT OF OSD APPLICATIONS" * page 223, left-hand column, line 1 - page 226, right-hand column, line 30 * -----	1-5	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			H04N
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 18 February 1997	Examiner Van der Zaal, R
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons A : member of the same patent family, corresponding document</p>			

EPO FORM 150 (01.92) (P/C/D)